

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1450 Alexandria, Virginia 22313-1450 www.unpto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/595,088	07/10/2006	Takaki Sugimoto	58902US006	2389	
32692 7590 06/17/2009 3M INNOVATIVE PROPERTIES COMPANY			EXAM	EXAMINER	
PO BOX 33427			HAUTH, GALEN H		
ST. PAUL, M	N 55133-3427		ART UNIT	PAPER NUMBER	
			1791		
			NOTIFICATION DATE	DELIVERY MODE	
			06/17/2009	ELECTRONIC	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

LegalUSDocketing@mmm.com LegalDocketing@mmm.com

Application No. Applicant(s) 10/595,088 SUGIMOTO, TAKAKI Office Action Summary Examiner Art Unit GALEN HAUTH 1791

The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed as the second of the provision of the provision of 37 CFR 1.136(a). In no event, however, may a reply be timely filed. - If NO period for reply is specified above, the maximum statutory period wit apply and will expire SIX (6) MCNTHS from the maining date of this communication Failure to reply within the set or extended period for reply will by thated cross be extended period for reply will by thated cross the second sort become ABANDONED (35 U.S.C.§ 130). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned partner time adjustment. See 37 CFR 1.74(b).
Status
1) Responsive to communication(s) filed on 19 May 2009.
2a) This action is FINAL . 2b) This action is non-final.
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Disposition of Claims
4) Claim(s) 1-21 is/are pending in the application.
4a) Of the above claim(s) 12-21 is/are withdrawn from consideration.
5) Claim(s) is/are allowed.
6)⊠ Claim(s) <u>1-11</u> is/are rejected.
7) Claim(s) is/are objected to.
8) Claim(s) are subject to restriction and/or election requirement.
Application Papers
9)☐ The specification is objected to by the Examiner.
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority under 35 U.S.C. § 119
12)⊠ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)⊠ All b)□ Some * c)□ None of:
 Certified copies of the priority documents have been received.
Certified copies of the priority documents have been received in Application No
 Copies of the certified copies of the priority documents have been received in this National Stage
application from the International Bureau (PCT Rule 17.2(a)).
* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)		
1) ∑ Notice of References Cited (PTO-892) 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) ∑ Information-Disclosure-Statemont(e)-(PTO/SE/DD) Pager Not) Mail Date 20/27/2006, 550/3/2007.	4) Interview Summary (PTO-413) Paper No(s)/Mail Date. 51 Notice of Informal Patent Arrication 6) Other:	

Art Unit: 1791

DETAILED ACTION

Election/Restrictions

1. Applicant's election with traverse of claims 1-11 in the reply filed on 05/19/2009 is acknowledged. The traversal is on the ground(s) that the independent claims of all three groups outlined in the restriction share the same technical feature. This is not found persuasive because, as outlined in the restriction requirement, although the independent claims contain the same technical feature this feature is not a special technical feature in that it does not define over the prior art of record. Thus the inventions listed as Groups 1-3 do not relate to a single general inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features.

The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- Claims 1-5 and 7 are rejected under 35 U.S.C. 102(b) as being anticipated by Audsiey (PN 4929403).
 - a. With regards to claim 1, Audsley teaches a flexible mold (abstract) supported by a non woven web of plastic (col 11 ln 63-68, col 12 ln 3-6) in which the mold is made from an acrylate capped oligomer, at least one reactive diluent,

Application/Control Number: 10/595,088

Art Unit: 1791

and a photoinitiator (col 3 ln 39-44). Audsley teaches using urethane acrylate oligomer (col 5 ln 27) and methacryl monomer for the reactive diluent (col 6 ln 61-65). Audsley teaches using acrylonitrile (col 7 ln 8, listed in applicant's specification as an example of an acryl monomer) and epoxy, polyether, and urethane acrylates for the oligomer (col 5 In 23-28, listed in applicant's specification as an example of a suitable acryl oligomer). Although Audsley does not explicitly state a glass transition temperature, the materials of Audsley would inherently posses a glass transition temperature of no greater than zero degrees Celsius. NOTE: Where ... the claimed and prior art products are identical or substantially identical, or are produced by identical or substantially identical processes, the PTO can require an applicant to prove that the prior art products do not necessarily or inherently possess the characteristics of his claimed product. Whether the rejection is based on "inherency" under 35 USC § 102, on prima facie obviousness" under 35 USC § 103, jointly or alternatively, the burden of proof is the same, and its fairness is evidenced by the PTO's inability to manufacture products or to obtain and compare prior art products." In re Best, 562 F2d 1252, 1255, 195 USPQ 430, 433-4 (CCPA 1977).

Page 3

- With regards to claim 2, Audsley teaches using monofunctional methacryl monomers and difunctional monomers (col 6 in 28-29).
- c. With regards to claims 3 and 4, as discussed in the rejection of claim 1 above, given the similarities between applicant's claimed components and the

Art Unit: 1791

components of Audsley, the components would inherently posses the claimed glass transition temperature range despite an explicit teaching in Audsley.

- d. With regards to claim 5, Audsley teaches using 37% oligomer (col 13 Example 1).
- e. With regards to claim 7, Audsley teaches using UV light (col 11 ln 17).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - Ascertaining the differences between the prior art and the claims at issue.
 - Resolving the level of ordinary skill in the pertinent art.
 - Considering objective evidence present in the application indicating obviousness or nonobviousness.
- Claim 9 is rejected under 35 U.S.C. 103(a) as being unpatentable over Audsley
 (PN 4929403) as applied to claim 1 above.
 - a. With regards to claim 9, Audsley, as applied to claim 1 above, teaches a flexible mold from a polymerizable material, but does not explicitly teach a viscosity of the composition. Audsley teaches a similar composition with similar parts per weight of components, as seen in the rejection of claims 1 and 5, and

Art Unit: 1791

the inclusion of a plasticizer to reduce viscosity (col 8 in 30-35). It would have been obvious to one of ordinary skill in the art at the time the invention was made to have a viscosity of 10 to 35,000 centipoise as viscosity is a result effective variable of a similar composition, effecting the application of the material to a surface as taught by Audsley.

- Claims 6, 8, 10 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Audsley (PN 4929403) as applied to claim 1 above, and further in view of Kikuchi et al. (Pub No 2003/0022585).
 - a. With regards to claim 6, Audsley, as applied to claim 1 above, teaches a flexible mold with a supporting element, but does not teach a glass transition temperature of the supporting element.
 - b. Kikuchi teaches a flexible mold made from urethane acrylate oligomer (¶ 0046) with a support film of polyethylene terepthalate (¶ 0045). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a polyethylene terepthalate film as a support element in the mold of Audsley, because Kikuchi teaches that using such film is advantageous for maintaining dimensional accuracy and is transparent to promote UV curing (¶ 0045). While Kikuchi does not explicitly state the glass transition temperature of the polyethylene terepthalate film, the film is a similar material to applicants suggested film (applicant lists polyethylene terepthalate in claim 10) and would therefor inherently posses the claimed glass transition temperature.

Application/Control Number: 10/595,088

Art Unit: 1791

c. With regards to claim 8, Audsley does not teach that the support layer and

Page 6

shape imparting layer are transparent.

d. Kikuchi teaches use of the flexible mold for forming ribs using a UV curing process (¶ 0066). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use transparent materials to allow for the

mold to be used in UV curing processes as taught by Kikuchi.

With regards to claim 10, Audsley, as applied to claim 1 above, teaches a
flexible mold with a supporting element, but does not teach the claimed

materials.

f. Kikuchi teaches a flexible mold made from urethane acrylate oligomer (¶ 0046) with a support film of polyethylene terepthalate (¶ 0045). It would have been obvious to one of ordinary skill in the art at the time the invention was made to use a polyethylene terepthalate film as a support element in the mold of Audsley, because Kikuchi teaches that using such film is advantageous for maintaining dimensional accuracy and is transparent to promote UV curing (¶ 0045).

g. With regards to claim 11, Audsley, as applied to claim 1 above, teaches a flexible mold with a supporting element, but does not teach the thickness of the

support materials.

h. Kikuchi teaches a flexible mold made from urethane acrylate oligomer (¶ 0046) with a support film of polyethylene terepthalate (¶ 0045). It would have

been obvious to one of ordinary skill in the art at the time the invention was made

Art Unit: 1791

to use a polyethylene terepthalate film as a support element in the mold of Audsley, because Kikuchi teaches that using such film is advantageous for maintaining dimensional accuracy and is transparent to promote UV curing (¶ 0045). Kikuchi teaches using a 50 micrometer support film of polyethylene terepthalate (¶ 0090).

Conclusion

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to GALEN HAUTH whose telephone number is (571)270-5516. The examiner can normally be reached on Monday to Thursday 8:30am-5:00pm ET.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christina Johnson can be reached on (571)272-1176. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1791

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/GHH/

/Christina Johnson/ Supervisory Patent Examiner, Art Unit 1791